



BEFORE



AFTER

RailFX® EXPRESS MOUNT BRACKET™ SYSTEM

CABLE RAILING MADE EASY.

It's now easier than ever to expand your view. The RailFX® Express Mount Bracket™ system drastically reduces cable railing installation time by eliminating the need to drill holes through wood posts. RailFX® Express Mount Bracket™ system is compatible with Classic Cable Kits (available in 10-70' lengths) and works for both level and stair railing applications.



SCAN TO PLAN YOUR PROJECT

IT'S SIMPLE:



SIMPLE DIY CABLE INSTALLATION

Retrofits on new or existing wood posts, both level and stair applications



SAVES TIME - NO DRILLING THROUGH POSTS

Brackets install on the exterior face of the post, no drilling through posts required



EXPANDED VIEWS

Cable provides open sightlines when compared to picket style railings and other cable railing systems



DURABLE & VIRTUALLY MAINTENANCE FREE

Patent pending design backed by a Limited Lifetime Warranty



END POST
1012075681



INTERMEDIATE POST
1012115956



CORNER POST
1012115957



DRILLING TEMPLATE
1012122523

PLAN YOUR PROJECT WITH RailFX® EXPRESS MOUNT BRACKET™




END POST BRACKET
24 brackets per package
(1 package covers both end posts)



INTERMEDIATE POST BRACKET
12 brackets per package
(1 package covers one post)



CORNER POST BRACKET
12 brackets per package
(1 package covers one post)



Count the number of each post type. For a standard 42" railing, you will need 12 brackets per post.

SPECIFICATIONS

- Post Material: Wood
- Railing Height: Minimum 42"
- Post Spacing: 4'
For posts spaced more than 4' apart, a cable brace is needed mid-span
- Cables per post: 12
Number of brackets and cables needed per post is based on 3 1/8" cable spacing

EXAMPLE ORDER FOR ABOVE DECK

- 42" Railing Height
- (1) End Post Bracket
 - (3) Intermediate Post Bracket
 - (1) Corner Post Bracket
 - (1) Universal Drilling Template
 - (12) Classic Cable Railing Kit




UNIVERSAL DRILLING TEMPLATE
For easy, accurate bracket alignment and cable spacing.



CABLE RAILING KITS
Includes all cable and hardware needed for one row of cable.

RailFX® CABLE BRACE



POST SPACING: Cables must be supported every 4'. If post spacing is greater than 4', we recommend installing a RailFX® cable brace with pre-drilled holes.

RFX-072024-562252